

2016 Q3

Quick Questions & Answers

European Model Shown



Audi
Truth in Engineering





1. Start Engine Stop (with Advanced Key)

Press the brake and then press this button to start the engine.

2. MMI® Controls

MMI controls consist of a control knob and buttons. Turn the control knob to the left or right and press it to select a menu in the MMI.

3. Navigation

If equipped with navigation, get started with setting destinations and discover more as you become familiar with the interface.

4. Climate Control

When AUTO is selected, the system maintains your temperature selection by regulating air temperature, fan speed and airflow.

5. Media/Audi connect® (CD/DVD/SD card)

Press the MEDIA button to access available media from connected sources (e.g., Bluetooth Audio, SD card, DVD, Jukebox and iPod connected via the Audi Music Interface).

6. MMI® Display

The MMI Display screen displays MMI menus and multi-media information, including Voice Recognition commands, media selections and radio information. MMI Display is fixed and does not close.

7. Voice Recognition

Press the TALK button on steering wheel to activate Voice Recognition in the MMI.

8. Driver Information System (DIS)

The DIS provides important driver information, including trip computer data, outside temperature and vehicle alerts.

9. DIS Controls

The Driver Information System is controlled with the multifunction steering wheel controls. To select a menu item, turn and press the thumbwheel.

10. Cruise Control

To activate, pull the stalk toward you. Braking or pushing the stalk away slightly will cancel Cruise Control.

11. Windshield Wipers

From the "OFF" position, move the stalk up one click for rain-sensing wipers, up two clicks for low-speed continuous wipe and up three clicks for high-speed continuous wipe.

12. Rear Hatch Release

Pull this switch to open hatch. With the ignition ON, pull and hold the driver's door hatch switch until the hatch is closed. Releasing the switch will interrupt the closure of the trunk. If equipped with power tailgate, this also can be closed by holding down the trunk button on the key fob.

Introduction to your Q3

Audi Navigation

Setting a Destination




Learn more about
Audi Navigation Settings

**TEXT Q3NAV16A
to 38981**

Do not text and drive.
Message and data rates may apply.

Your MMI navigation system has extraordinary capabilities to enhance your drive with user-definable views, routing selections and more. Get started with setting destinations and discover more as you become familiar with the interface.


1. Press the NAV function button.
2. Select the Destination control button.
3. Select Address from the Navigation menu.
4. Select City/Zip code field and enter information.
5. Continue by entering the Street and House number.
6. When complete, select Start route guidance.



Additional Settings

Selecting Route Criteria allows you to change the way the route is calculated based on current traffic situations, such as heavy traffic, construction or road closings. To change route criteria:

1. Press NAV function button.
 2. Select Settings control button.
 3. Select Route Criteria.
- ▶ Auto Reroute automatically adjusts your route based on SiriusXM Traffic information.
 - ▶ Alternate Routes displays multiple route options; Short, Fast or Mixed.



Note:

Always pay careful attention to the road and do not drive while distracted. Enter destinations while vehicle is stationary away from traffic. When pressing the iNav button, the last navigation announcement will be repeated.

Important Safety Instructions and Warnings: Navigation & Infotainment

- ▶ The demands of traffic require your full attention.
- ▶ Obey all traffic laws when driving.
- ▶ The route calculated by the navigation system is a recommendation for reaching your destination.
- ▶ Obey traffic lights, stopping restrictions, one-way streets, lane change restrictions, etc.

Navigation

Cruise Control

Activate

To activate, pull the control stalk toward you (ON position).



Set Cruising Speed

At your desired speed, press the SET button at the end of the stalk. The set speed and the illuminated CRUISE icon are shown in the Driver Information Display upon activating.



Learn more about
Cruise Control

**TEXT Q3CRUISE16A
to 38981**

Do not text and drive.
Message and data rates may apply.

Changing Speed

There are three ways to change your speed:

- ▶ Accelerate or decelerate, then press the SET button again.
- ▶ To increase/decrease speed in 1 mph increments, tap the stalk up or down.
- ▶ Hold the stalk up or down to increase/decrease speed in 5 mph increments; release when desired speed is reached.



Cancel/Resume

1. Press the brake pedal or push the stalk slightly away from you (CANCEL position).
2. The CRUISE light will go off.
3. To resume, pull the stalk towards you; you will return to your set speed.

Your most recently set speed appears as a small icon in the Driver Information Display. It remains in memory until you turn Cruise Control or your Audi off.

Important Safety Instructions and Warnings: Cruise Control

- ▶ Always pay attention to the traffic around you when the Cruise Control is in operation. You are always responsible for your speed and the distance between your vehicle and other vehicles.
- ▶ For safety reasons, Cruise Control should not be used in the city, in stop-and-go traffic, on winding roads and when road conditions are poor (such as ice, fog, gravel, heavy rain and hydroplaning), because this increases the risk of an accident.
- ▶ Switch the Cruise Control off temporarily when driving in turning lanes, highway exits or in construction zones.
- ▶ Please note that unconsciously "resting" your foot on the accelerator pedal prevents the Cruise Control from braking. This is due to the control system being overridden by the driver's acceleration.
- ▶ If a brake system malfunction such as overheating occurs when the Cruise Control system is switched on, the braking function in the system may be switched off. The rest of the Cruise Control system functions remain active as long as the indicator light is on.
- ▶ You should only return to the saved speed if it is not too fast for the current traffic conditions - risk of an accident!

Cruise Control

Voice Recognition Phone

Call By Name

1. Press the TALK button. A beep will sound.
 2. Say “**Call**” <Name from directory> (e.g., “**Call John Smith**”).
 3. To confirm the request, say “**Yes**”. The number will be dialed.
 4. To end a call, press the left thumbwheel on the steering wheel.
- If multiple numbers are stored for a given contact, the system will ask which number you wish to dial. When calling by name using Voice Recognition, you must say the name as it is stored in your phone book.




Learn more about
Voice Recognition Phone

**TEXT Q3VOICE16A
to 38981**

Learn more about
Voice Recognition Navigation


**TEXT Q3VOICE16B
to 38981**

Do not text and drive.
Message and data rates may apply.



Setting a Destination

1. Press the TALK button on the steering wheel.
2. Say “**Enter address.**” (Other commands are available on screen. See Owner’s Manual for complete list of commands.)
3. After the beep, speak the address; for example “**2024 Main St, Los Angeles, California.**” (Speak street numbers as single digits.) The system will respond with repeating the address for confirmation.




4. System will respond, “The list is being loaded,” it will repeat the address and then ask if you would like to start route guidance; after the beep say “**Yes**” and guidance will begin.
- There are three options to cancel Voice Recognition:
- Simply say “**Cancel**” at the voice prompt.
 - Press any button on the MMI controls.
 - Or, press and hold the TALK button until you hear “Cancel”.

Refer to your Owner’s Manual for additional Voice Recognition commands.



Individual Speech Training

1. Press the MENU function button to open the MMI menu.
2. Select Setup MMI control button.
3. Select Voice recognition.
4. Select Individual speech training.
5. Select Start speech training.



Important Safety Instructions and Warnings: Voice Recognition

- Direct your full attention to driving. As the driver, you have complete responsibility for safety in traffic. Only use the functions in such a way that you always maintain complete control over your vehicle in all traffic situations.
- Do not use the Voice Recognition system in emergencies because your voice may change in stressful situations. It may take longer to dial the number or the system may not be able to dial it at all. Dial the emergency number manually.

Voice Recognition

Audi connect®

Wi-Fi Configuration

Audi connect can provide you with Google Earth™, Google Voice™ Local Search, Wi-Fi Hotspot, Online Services (fuel prices, weather information, travel information, personalized feeds and more) and myAudi Destinations*.

1. Ensure SIM card (provided by dealer) is present in the SIM slot.
2. Press the TEL function button.
3. Press the Settings control button.
4. Select Wi-Fi settings.
5. Then, select Wi-Fi active and choose Visible.
6. Select a password that is at least eight characters long. The default password can be used. Or a new password can be entered.

Most devices use encryption type WPA2 as the default.

7. Select Apply settings to save your password.
8. On your device, search for Wi-Fi networks, select SSID and enter your password to establish a connection.

You may connect up to eight wireless devices at one time.

To continue with Data Configuration

9. Press the BACK button, scroll to Data connection and select.
10. Select Without request. Press the BACK button to exit.



Learn more about
Audi connect Configuration

**TEXT Q3CONNECT16A
to 38981**

Learn more about
Audi connect Features

**TEXT Q3CONNECT16B
to 38981**

Do not text and drive.
Message and data rates may apply.



Google Voice™ Local Search

1. Press the TALK button on the steering wheel.
2. Say “Online Destinations” or “Google Search” followed by a keyword (e.g., bookstore, museum, pizza, etc.).
3. Make your selection from the displayed list:
 - ▶ By speaking the line number.
 - ▶ Or saying “Next page” to view additional results.
4. After the beep, say “Start route guidance” to start the navigation to your destination.



Learn more about
Audi MMI: Navigation

**TEXT Q3NAV16B
to 38981**

Do not text and drive.
Message and data rates may apply.

*Always pay careful attention to the road and do not drive while distracted. Audi connect features and technologies are optional, may require an additional subscription with separate terms and conditions, and should be used only when it is safe and appropriate. The Wi-Fi feature is intended for passenger use only. Audi connect services are only available where there is mobile network coverage. You can obtain more information from your current service provider. Vehicle must be stationary with the parking brake engaged while performing this operation. Cellular connectivity is dependent on available cellular signal. Enter destinations while vehicle is stationary and away from traffic. This feature is available on select trim lines.

Note:
Refer to your Owner's Manual for additional commands. Cellular connectivity is dependent on available cellular signal.

Important Safety Instructions and Warnings: Audi connect®

- ▶ To reduce the risk of an accident, only use Audi connect services when road and traffic conditions permit.
- ▶ Use the Audi connect services with a Wi-Fi hotspot only in the rear seat when the vehicle is in motion or only when the vehicle is stationary to reduce the risk of an accident.
- ▶ As the driver, do not allow usage of the Wi-Fi hotspot to distract you from driving, as this could increase the risk of an accident.
- ▶ It is only safe to use laptops and similar mobile devices when the vehicle is stationary because, like all loose objects, they could be thrown around the inside of the vehicle in a crash and cause serious injuries. Store these types of devices securely while driving.
- ▶ Do not use any wireless devices on the front seats within range of the airbags while driving.
- ▶ Read and follow the safety precautions in the separate vehicle owner's manual under “Important information about the front airbag system” in the “Airbag System” chapter.

Climate Control

3-Zone Climate Control



Learn more about
Climate Control

**TEXT Q3CLIMATE16A
to 38981**

Do not text and drive.
Message and data rates may apply.

1. AUTO Setting

The AUTO setting of your Climate Control System will help the cabin maintain your selected temperature by regulating the temperature, fan speed and airflow. Once activated, there is no need to alter the settings. When AUTO is selected, A/C will come on automatically to condition the air.

Synchronize Zones

Press and hold the AUTO button to synchronize both sides to the same temperature, fan speed and airflow. Synchronization is deactivated once the passenger temperature is changed.

2. Set Temperature

Temperature can be operated independently for each side of the cabin.

- ▶ To increase or decrease the temperature by one degree, press the toggle switch either one click left or one click right.
- ▶ To increase or decrease the temperature in larger increments, press and hold the toggle switch until the desired temperature is reached.



3. Heated Seats

To warm up more quickly on a cool morning, turn on your heated seats.

4. Fan Speed

Fan speed is the same for both zones. Fan speed can be adjusted by pressing the small fan or big fan icon buttons.

5. Recirculation

The recirculation function helps prevent outside air and odors from entering the cabin. It may also be used in conjunction with to cool the cabin more quickly.



To switch on air recirculation mode:

- ▶ Press the recirculation button; the bottom LED light will illuminate.
- ▶ To turn on the automatic recirculation mode, press the button again; the top LED button will illuminate.

Auto recirculation:

- ▶ The air quality sensor detects outside air pollutants and switches on automatically.
- ▶ Air recirculation switches on automatically when you reverse the vehicle while the engine is cold.

6. Airflow

Direct airflow to defrost, panel and floor vents or a combination by selecting the appropriate airflow button(s).



Important Safety Instructions and Warnings: Climate Control

- ▶ Reduced visibility is dangerous and can cause accidents.
- ▶ For safe driving it is very important that all windows be free of ice, snow and condensation.
- ▶ Completely familiarize yourself with the proper use and function of the heating and ventilation system and especially how to defog and defrost the windows.
- ▶ Never use the windshield wiper/washer system in freezing weather until you have warmed the windshield first, using the heating and ventilation system. The washer solution may freeze on the windshield and reduce visibility.
- ▶ You should not use the recirculation mode for an extended period since no fresh air is drawn in. With the air-conditioning switched off, the windows can fog up, which increases the risk of an accident.
- ▶ Individuals with reduced sensitivity to pain or temperature could develop burns when using the seat heating function. To reduce the risk of injury, these individuals should not use seat heating.

Bluetooth® Pairing: MMI

Initial Setup

Bluetooth pairing is a one-time procedure. Once paired via Bluetooth, your phone will automatically connect when you start your vehicle and your phone's contacts automatically synchronize, allowing you to retrieve contacts and make and receive calls through the infotainment system. For more information regarding phone compatibility visit audiusa.com/bluetooth.

1. Switch ignition to accessories mode.
 2. Activate your phone's Bluetooth function and set to pairing or search mode.
 3. Select Audi MMI when it appears on the phone's screen.
 4. Use the MMI control knob to select Yes.
 5. Confirm the six-digit PIN displayed matches the PIN displayed on your phone and select Yes.
 6. Select Pair on your phone to complete the pairing process.
 - ▶ Contacts synchronizing.
- 
- ▶ Bluetooth active and network strength bars.
- 

Some phones may require a response to automatically connect for future connections. Once paired, the Bluetooth symbol appears on the MMI screen along with network strength bars and it will be displayed whenever a paired phone is connected to the infotainment system.

Wireless Audio Streaming



When your Bluetooth device is paired to your Audi vehicle, it allows you to stream music wirelessly from your device through the vehicle's stereo system. (Refer to Bluetooth pairing instructions to pair a device.) Ensure that the Bluetooth Audio is enabled on the MMI system*:

1. Press the TEL function button.
2. Select the Settings control button and choose Bluetooth from the menu.
3. Ensure that the Bluetooth audio player is turned on.



Learn more about
Bluetooth Pairing
**TEXT Q3PAIR16A
to 38981**

Do not text and drive.
Message and data rates may apply.



Wireless Audio Streaming

When your Bluetooth device is paired to your Audi vehicle, it allows you to stream music wirelessly from your device through the vehicle's stereo system. (Refer to Bluetooth pairing instructions to pair a device.) Ensure that the Bluetooth Audio is enabled on the MMI system*:

1. Press the TEL function button.
2. Select the Settings control button and choose Bluetooth from the menu.
3. Ensure that the Bluetooth audio player is turned on.
 - ▶ Bluetooth Audio player will remain on until selected off.
4. Next, select Bonded Bluetooth devices.
5. Choose your paired device and select it.
6. Select Audio player to connect.
7. Press the MEDIA function button.
8. Select the Source control button and select device.
 - ▶ Music tracks can be selected using the PREVIOUS and NEXT arrow buttons.
 - ▶ Pressing the volume dial will pause audio.



With Bluetooth Audio being turned on, the Bluetooth audio player will automatically connect to your device.

When an Apple device that is paired to the Bluetooth system is connected to the Audi Music Interface (AMI), a prompt appears to notify you that the Bluetooth connection has been disabled.

*Wireless Audio available on MMI Navigation equipped vehicles.

Note:
Bluetooth® Pairing requires compatible device. See your phone's Owner's Manual for specific Bluetooth activation instructions. Vehicle must be stationary with the parking brake engaged while performing this operation. Once paired, the Bluetooth symbol appears in the MMI® screen along with network strength bars and it will be displayed whenever a paired phone is connected to the infotainment system.

Important Safety Instructions and Warnings: Bluetooth® Pairing

- ▶ Medical experts warn that cell phones can interfere with the function of pacemakers. Always maintain a minimum distance of 20 centimeters between the cell phone antenna and the pacemaker.
- ▶ Do not carry the cell phone in a pocket directly over the pacemaker when the phone is switched on.
- ▶ Switch the cell phone off immediately if you suspect it may be interfering with the pacemaker.
- ▶ Do not use the Voice Recognition system in emergencies because your voice may change in stressful situations. It may take longer to dial the number or the system may not be able to dial it at all. Dial the emergency number manually.
- ▶ Switch your cell phone off in areas where there is a risk of an explosion. These locations are not always clearly marked. This may include gas stations, fuel and chemical storage facilities or transport vehicles, or locations where fuel vapors (such as propane or gasoline vapor in vehicles or buildings), chemicals or large quantities of dust particles (such as flour, sawdust or metal) may be present in the air. This also applies to all other locations where you would normally turn your vehicle engine off.
- ▶ The demands of traffic require your full attention.
- ▶ Obey all applicable laws regarding use of telephones in vehicles.
- ▶ Switch off the telephone where use of cell phones is prohibited. Obey all applicable notices and regulations.

Indicator Lights

MY 16-Q3-01

For additional information on indicator lights, refer to your vehicle Owner's Manual.

 BRAKE	Brake system	 TPMS	Tire pressure monitoring system		Battery in remote control key
 PARK	Electromechanical parking brake	 TPMS	Tire pressure monitoring system		Defective light bulb warning
	Safety belts	 EPC	Electronic power control		Headlight range control
	Engine cooling system		Malfunction indicator lamp (MIL)		Adaptive light
	Engine oil pressure		Engine speed limitation		Light-/rain sensor
	Battery		Engine oil level		Adaptive dampers
	Electromechanical power steering		Engine oil level	 MPH	Speed warning system
	Transmission		Engine oil sensor		Turn signals
	Steering column lock		Battery		Trailer turn signal assembly
	Electronic Stabilization Control (ESC)		Tank system	 CRUISE	Cruise control
	Electronic Stabilization Control (ESC)		Windshield washer fluid level		Hill descent control
	Electronic Stabilization Control (ESC)		Electromechanical power steering		High beam
 ABS	Anti-lock braking system (ABS) defective		Ignition lock		Open door
	Safety systems		Steering column lock		Open hood
	Worn brake pads		Convenience key		Open rear lid
	Electromechanical parking brake		Convenience key		

